

**Colorado Division of Fire Prevention and Control
Firefighter II JPR's (NFPA 1001, 2013 Edition)**

6.1 General Requirements	Task	Initial Certification JPR Requirement: 5 Required, 2 Random Renewal JPR Requirement: 100% of All JPRs (including all subsections)
1A	Implement Incident Management System	Mandatory
6.2 Fire Ground Communication	Task	
2A	Complete Basic Incident Report	Random
2B	Communicate Need for Team Assistance	Mandatory
6.3 Fire Ground Operations	Task	
3A	Extinguish Ignitable Liquid Fire	Random
3B	Coordinate an Interior Fire Attack	Mandatory
3C	Control Flammable Gas Cylinder Fire	Random
3D	Protect Evidence of Fire Cause and Origin	Random
6.4 Rescue Operations	Task	
4A	Vehicle Extrication	Mandatory
4B	Assist Rescue Operation Team	Random
6.5 Prevention, Preparedness, & Maintenance	Task	
5A	Fire Safety Survey	Random
5B	Present Fire Safety Information	Random
5C	Prepare a Pre-Incident Survey	Random
5D	Maintain Power Equipment	Mandatory
5E	Perform an Annual Hose Test	Random



FIRE FIGHTER II

JPR: FFII-1A

Candidate: _____

STANDARD: 6.1.2 NFPA 1001, 2013 Edition General Requirements	Task: Implement Incident Management System.	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to determine need for command, organize and coordinate an incident management system until command is transferred, and function within an assigned role in an incident management system. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.	
EQUIPMENT REQUIRED: Portable radio communication and proper personal protective equipment for assignment given.		
CONDITIONS: Given a fire ground or emergency scene scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Determine the need for command.	
2	Implement Incident Management System.	
3	Assume command.	
4	Transfer command when appropriate.	
5	Brief new incident commander.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-2A

Candidate: _____

STANDARD: 6.2.1 NFPA 1001, 2013 Edition Communications	Task: Complete a basic incident report, given the report forms, guidelines, and information, so that all pertinent information is recorded, the information is accurate, and the report is complete.	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to determine necessary codes, proof reports, and operate fire department computers or other equipment necessary to complete reports. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.	
EQUIPMENT REQUIRED: Incident Records Management system utilized by AHJ.		
CONDITIONS: Given a completed fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Operate fire department computers or hand write report.	
2	Record all pertinent information within the report.	
3	Proof report for accuracy.	
4	Complete report.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-2B

Candidate: _____

<p>STANDARD: 6.2.2</p> <p>NFPA 1001, 2013 Edition</p> <p>Communications</p>	<p>Task: Communicate the need for team assistance, given fire department communications equipment, SOPs, and a team, so that the supervisor is consistently informed of team needs, departmental SOPs are followed, and the assignment is accomplished safely.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to operate fire department communications equipment.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>	
<p>EQUIPMENT REQUIRED: Departmental SOPs for radio communication, appropriate PPR for assignment, and portable radio.</p>		
<p>CONDITIONS: Given a simulated emergency scenario and a team, the candidate shall demonstrate the ability to:</p>		
<p>No.</p>	<p>Task Steps</p>	<p>✓</p>
1	Operate fire department communications equipment.	
2	Communicate the need for team assistance.	
3	Follow department SOPs (if available).	
4	Accomplish assignment safely.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-3A

Candidate: _____

<p>STANDARD: 6.3.1</p> <p>NFPA 1001, 2013 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Extinguish an ignitable liquid fire, operating as a member of a team, given an assignment, an attack line, personal protective equipment, a foam proportioning device, a nozzle, foam concentrates, and a water supply, so that the correct type of foam concentrate is selected for the given fuel and conditions, a properly proportioned foam stream is applied to the surface of the fuel to create and maintain a foam blanket, fire is extinguished, re-ignition is prevented, team protection is maintained with a foam stream, and the hazard is faced until retreat to safe haven is reached.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to prepare a foam concentrate supply for use, assemble foam stream components, master various foam application techniques, and approach and retreat from spills as part of a coordinated team.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>	
<p>EQUIPMENT REQUIRED: Fire apparatus, attack lines, full personal protective equipment w/ SCBA, foam proportioning, nozzle, foam concentrates, and a water supply.</p>		
<p>CONDITIONS: Given a simulated fire scenario and working as part of a team, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1	Select correct type of foam concentrate for the given fuel and conditions.	
2	Set up apparatus and foam generating system.	
3	Apply properly proportioned foam stream to the surface of the fuel to create and maintain a foam blanket.	
4	Extinguish fire.	
5	Prevent re-ignition of fire.	
6	Maintain team protection with a foam stream.	
7	Face hazard until retreat to safe haven is reached.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-3B

Candidate: _____

<p>STANDARD: 6.3.2</p> <p>NFPA 1001, 2013 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Coordinate an interior attack line for a team’s accomplishment of an assignment in a structure fire, given attack lines, personnel, personal protective equipment, and tools, so that crew integrity is established; attack techniques are selected for the given level of the fire (e.g., attic, grade level, upper levels, or basement); attack techniques are communicated to the attack teams; constant team coordination is maintained; fire growth and development is continuously evaluated; search, rescue, and ventilation requirements are communicated or managed; hazards are reported to the attack teams; and incident command is apprised of changing conditions.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to assemble a team, choose attack techniques for various levels of a fire, evaluate and forecast a fire’s growth and development, select tools for forcible entry, incorporate search and rescue procedures and ventilation procedures in the completion of the attack team efforts, and determine developing hazardous building or fire conditions.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>	
<p>EQUIPMENT REQUIRED: Full personal protective equipment with SCBA (on air), attack line, hand tools, dedicated safety line, and fire apparatus.</p>		
<p>CONDITIONS: Given a simulated or live fire scenario (following NFPA 1403) and a team, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1.	Assemble team.	
2.	Select appropriate tools for forcible entry	
3.	Ensure proper team entry operations are conducted and team continuity is maintained.	
4.	Evaluates fire conditions upon gaining access	
5.	Request coordinated ventilation, or performs ventilation based on fire conditions.	
6.	Use appropriate body posture for conditions.	
7.	Request/perform search and rescue based on conditions and given information.	
8.	Monitors / Evaluates developing fire conditions.	
9.	Correctly extinguish fire using appropriate pattern based on fire conditions.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-3C

Candidate: _____

<p>STANDARD: 6.3.3</p> <p>NFPA 1001, 2013 Edition</p> <p>Fire Ground Operations</p>	<p>Task: Control a flammable gas cylinder fire, operating as a member of a team, given an assignment, a cylinder outside of a structure, an attack line, personal protective equipment, and tools, so that crew integrity is maintained, contents are identified, safe havens are identified prior to advancing, open valves are closed, flames are not extinguished unless the leaking gas is eliminated, the cylinder is cooled, cylinder integrity is evaluated, hazardous conditions are recognized and acted upon, and the cylinder is faced during approach and retreat</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to execute effective advances and retreats, apply various techniques for water application, assess cylinder integrity and changing cylinder conditions, operate control valves, and choose effective procedures when conditions change.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>	
<p>EQUIPMENT REQUIRED: Fire apparatus, attack lines, personal protective equipment, tools, and flammable gas cylinder burn trainer/prop.</p>		
<p>CONDITIONS: Given a burn prop or simulated cylinder fire and a team, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1	Identify safe havens prior to advancing.	
2	Maintain crew integrity.	
3	Identify contents.	
4	Evaluate cylinder integrity.	
5	Close all valves that are open.	
6	Ensure flames are not extinguished unless the leaking gas is eliminated.	
7	Cool cylinder.	
8	Recognize hazardous conditions and act upon.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-3D

Candidate: _____

STANDARD: 6.3.4 NFPA 1001, 2013 Edition Fire Ground Operations	Task: Protect evidence of fire cause and origin, given a flashlight and overhaul tools, so that the evidence is noted and protected from further disturbance until investigators can arrive on the scene.	
PERFORMANCE OUTCOME:	The candidate shall demonstrate the ability to locate the fire’s origin area, recognize possible causes, and protect the evidence. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.	
EQUIPMENT REQUIRED: Appropriate personal protective equipment, flashlight, and overhaul tools.		
CONDITIONS: Given a simulated fire with point of origin, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Locate fire’s origin (i.e. burn patterns, statements, etc.).	
2	Recognize possible causes.	
3	Properly note evidence (e.g., fuel sources, location of fire, burn patterns, and color of flames).	
4	Properly protect evidence from further disturbance.	
5	Secure area.	
6	Turn scene over to investigators.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-4A

Candidate: _____

<p>STANDARD: 6.4.1</p> <p>NFPA 1001, 2013 Edition</p> <p>Rescue Operations</p>	<p>Task: Extricate a victim entrapped in a motor vehicle as part of a team, given stabilization and extrication tools, so that the vehicle is stabilized, the victim disentangled without further injury, and hazards are managed.</p>																			
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to operate hand and power tools used for forcible entry and rescue as designed; use cribbing and shoring material; and choose and apply appropriate techniques for moving or removing vehicle roofs, doors, windshields, windows, steering wheels or columns, and the dashboard.</p> <p style="text-align: center;">Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>																			
<p>EQUIPMENT REQUIRED: Full personal protective equipment, stabilization and extrication tools, and a vehicle.</p>																				
<p>CONDITIONS: Given a vehicle extrication scenario or a simulated scenario and a team, the candidate shall demonstrate the ability to:</p>																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">No.</th> <th style="width: 80%;">Task Steps</th> <th style="width: 10%; text-align: center;">✓</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Complete a size up; identify and manage hazards.</td> <td></td> </tr> <tr> <td style="text-align: center;">2</td> <td>Stabilize vehicle.</td> <td></td> </tr> <tr> <td style="text-align: center;">3</td> <td>Operate hand and power tools used for forcible entry and rescue as designed.</td> <td></td> </tr> <tr> <td style="text-align: center;">4</td> <td>Apply appropriate techniques for moving and removing vehicle roof, doors, windshield, windows, steering wheel or column, and the dashboard.</td> <td></td> </tr> <tr> <td style="text-align: center;">5</td> <td>Disentangle victim without further injury.</td> <td></td> </tr> </tbody> </table>	No.	Task Steps	✓	1	Complete a size up; identify and manage hazards.		2	Stabilize vehicle.		3	Operate hand and power tools used for forcible entry and rescue as designed.		4	Apply appropriate techniques for moving and removing vehicle roof, doors, windshield, windows, steering wheel or column, and the dashboard.		5	Disentangle victim without further injury.			
No.	Task Steps	✓																		
1	Complete a size up; identify and manage hazards.																			
2	Stabilize vehicle.																			
3	Operate hand and power tools used for forcible entry and rescue as designed.																			
4	Apply appropriate techniques for moving and removing vehicle roof, doors, windshield, windows, steering wheel or column, and the dashboard.																			
5	Disentangle victim without further injury.																			

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-4B

Candidate: _____

<p>STANDARD: 6.4.2</p> <p>NFPA 1001, 2013 Edition</p> <p>Rescue Operations</p>	<p>Task: Assist rescue operation teams, given standard operating procedures, necessary rescue equipment, and an assignment, so that procedures are followed, rescue items are recognized and retrieved in the time as prescribed by the AHJ, and the assignment is completed.</p>	
<p>PERFORMANCE OUTCOME:</p> <p>The candidate shall demonstrate the ability to identify and retrieve various types of rescue tools, establish public barriers, and assist rescue teams as a member of the team when assigned.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>		
<p>EQUIPMENT REQUIRED: Personal protective equipment, standard operating procedures (SOPs) and necessary rescue equipment.</p>		
<p>CONDITIONS: Given a fire ground or emergency scene scenario and a team, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1	Safely follow standard operating procedure according to AHJ.	
2	Establish public barrier and work area.	
3	Recognize and retrieve rescue tools in a timely manner.	
4	Assist rescue team with assigned task.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-5A

Candidate: _____

<p>STANDARD: 6.5.1</p> <p>NFPA 1001, 2013 Edition</p> <p>Prevention, Preparedness, and Maintenance</p>	<p>Task: Perform a fire safety survey in a occupied structure, given survey forms and procedures, so that fire and life safety hazards are identified, recommendations for their correction are made to the occupant, and unresolved issues are referred to the proper authority.</p>	
<p>PERFORMANCE OUTCOME:</p> <p>The candidate shall demonstrate the ability to complete forms, recognize hazards, match findings to pre-approved recommendations, and effectively communicate findings to occupant or referrals.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>		
<p>EQUIPMENT REQUIRED: Appropriate survey forms, department SOPs or survey recommendations, paper, and pencil.</p>		
<p>CONDITIONS: Given an occupied structure, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1	Properly introduces themselves to occupant, and explains the purpose of the survey.	
2	Check for common fire hazards/General housekeeping.	
3	Check Smoke and CO detector operation.	
4	Check for hazards around/near heating system(s) (including fireplace).	
5	Explain findings to occupant.	
6	Refer unresolved issues to proper authority (if applicable).	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-5B

Candidate: _____

STANDARD: 6.5.2 NFPA 1001, 2013 Edition Prevention, Preparedness, and Maintenance	Task: Present fire safety information to station visitors or small groups, given prepared materials, so that all information is presented, the information is accurate, and questions are answered or referred.	
PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to document presentations and to use prepared materials. Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.		
EQUIPMENT REQUIRED: Prepared fire safety materials, local procedure or lesson plans, station and/or audience. **Note: Please review attached instruction sheet.		
CONDITIONS: Given a station tour or audience, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Present a fire safety lesson or conduct a fire station tour	
	OR	
2	Successfully present and accurately teach lesson based on age and learning needs.	
3	Answer questions or refers questions to appropriate personnel.	
4	Record all information as required by AHJ.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-5C

Candidate: _____

<p>STANDARD: 6.5.3</p> <p>NFPA 1001, 2013 Edition</p> <p>Prevention, Preparedness, and Maintenance</p>	<p>Task: : Prepare a pre-incident survey, given forms, necessary tools, and an assignment, so that all required occupancy information is recorded, items of concern are noted, and accurate sketches or diagrams are prepared.</p>	
<p>PERFORMANCE OUTCOME:</p>	<p>The candidate shall demonstrate the ability to identify the components of fire suppression and detection systems; sketch the site, buildings, and special features; detect hazards and special considerations to include in the pre-incident sketch; and complete all departmental forms.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>	
<p>EQUIPMENT REQUIRED: Drawing pad, pencil, department forms, and appropriate attire for completing surveys.</p>		
<p>CONDITIONS: Given a building, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1	Identify components of fire suppression and detection systems.	
2	Accurately sketches or diagrams building or site as well as special features.	
4	Detect and record hazards and special considerations.	
5	Complete all department pre-incident survey forms.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-5D

Candidate: _____

<p>STANDARD: 6.5.4</p> <p>NFPA 1001, 2013 Edition</p> <p>Prevention, Preparedness, and Maintenance</p>	<p>Task: Maintain power plants, power tools, and lighting equipment, given tools and manufacturers’ instructions, so that equipment is clean and maintained according to manufacturer and departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.</p>	
<p>PERFORMANCE OUTCOME:</p> <p>The candidate shall demonstrate the ability to select correct tools; follow guidelines; complete recording and reporting procedures; and operate power plants, power tools, and lighting equipment.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>		
<p>EQUIPMENT REQUIRED: Personal protective equipment, power plants, power tools, lighting equipment, appropriate tools, and manufacturer’s instructions or department standard operating procedures.</p>		
<p>CONDITIONS: The candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1	Operate power plants, power tools, and lighting equipment.	
2	Clean and maintain equipment according to manufacturer’s or departmental guidelines.	
3	Document required maintenance and inspection.	
4	Place equipment in or out of service as applicable.	

Evaluator (Print & Sign)

Date:



FIRE FIGHTER II

JPR: FFII-5E

Candidate: _____

<p>STANDARD: 6.5.5</p> <p>NFPA 1001, 2013 Edition</p> <p>Prevention, Preparedness, and Maintenance</p>	<p>Task: Perform an annual service test on fire hose, given a pump, a marking device, pressure gauges, a timer, record sheets, and related equipment, so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service, and the results are recorded.</p>	
<p>PERFORMANCE OUTCOME:</p> <p>The candidate shall demonstrate the ability to operate hose testing equipment and nozzles and to record results.</p> <p>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation. The determination of the lead proctor shall be final.</p>		
<p>EQUIPMENT REQUIRED: Pump, marking device, pressure gauges, timer, record sheets, copy of NFPA 1962, and related equipment.</p>		
<p>CONDITIONS: Given a fire station bay or large area for testing hose, the candidate shall demonstrate the ability to:</p>		
No.	Task Steps	✓
1	Check hose gaskets (replaced, as needed).	
2	Ensure hose sections are connected and tightened (no more than 300 feet).	
3	Open test gate valve attached to discharges being used.	
4	Connect and tighten hose test sections to appropriate discharges.	
5	Secure hose to apparatus.	
6	Shut off nozzles attached to hose test sections.	
7	Fill hose lines with water and bleed air from hose lines.	
8	Mark hose jackets next to each coupling.	
9	Ensure there are no kinks or twist in hose lines and no leaking couplings.	
10	Close test gates.	
11	Increase pump pressure in accordance with hose manufacturer and NFPA 1962.	
12	Monitor connections for leakage.	
13	Maintain pressure for time frame set forth in current edition of NFPA 1962.	
14	Inspect couplings for leakage (weeping).	
15	Reduce pressure slowly after in accordance with NFPA 1962 testing guidelines.	
16	Close discharge valves.	

No.	Task Steps	✓
17	Disengage pump.	
18	Bleed of pressure in hose lines.	
19	Break down couplings.	
20	Drain hose lines.	
21	Check marks on hose lines (If hose moved, tag hose for re-coupling).	
22	Record results for each section of hose.	

Evaluator (Print & Sign)

Date: